

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD Los Angeles Region 320 W. 4th Street, Suite 200

Los Angeles, CA 90013

Attention:

John Geroch

Subject:

SHALLOW SOIL IMPACTS DISCOVERY RESPONSE PLAN,

BOEING REALTY CORPORATION, FORMER C-6 FACILITY, 19503 SOUTH NORMANDIE AVENUE,

LOS ANGELES, CA

Dear Mr. Geroch:

Please find enclosed for your review, a copy of the subject document prepared by Haley & Aldrich, Inc. for Boeing Realty Corporation.

If you have any questions concerning this document, please contact the undersigned at 562-733-2229.

Sincerely,

Robert P. Scott

Boeing Realty Corporation

Cc:

Mario Stavale, Boeing Realty Corporation

enclosure

Haley & Aldrich, Inc. 9040 Friars Road Suite 220 San Diego, CA 92108-5860

Tel: 619.280.9210 Fax: 619.280.9415 HaleyAldrich.com



13 December 2004 File No. 28882-604

California Regional Water Quality Control Board - Los Angeles Region 320 W. 4th Street, Suite 200 Los Angeles, California 90013

Attention:

Mr. John Geroch

Subject:

Former Boeing C-6 Facility Los Angeles, California

Shallow Soil Impacts Discovery Response Plan

Dear Mr. Geroch:

OFFICES

Boston Massachusetts

Cleveland Ohio

Dayton Ohio

Detroit Michigan

Hartford Connecticut

Kansas City Kansas

Los Angeles California

Manchester New Hampshire

Parsippany New Jersey

Portland Maine

Providence Rhode Island

Rochester New York

Santa Barbara California

Tueson Arizona

Washington District of Columbia Shallow soil (0 to 12 feet below ground surface) at Parcel C of the Boeing Realty Corporation (BRC) former C-6 Facility (Site) located in Los Angeles, California, has been investigated and remediated to levels that have been approved by the Regional Water Quality Control Board - Los Angeles Region (LARWQCB). The LARWQCB's approval of this work, and a "No Further Action" determination for commercial/industrial land use on Parcel C were issued on 6 December 2002.

Redevelopment activities of the final lot of Parcel C (Lot 8) at the Site are currently scheduled to commence in late December 2004. These redevelopment activities will include Site grading and excavation of shallow soils for new building utilities and foundations. Although additional shallow soil impacts are not expected to be encountered, any suspected impacted soil, if observed during redevelopment activities, would generally be addressed as follows:

- An appropriate number of soil samples will be collected and analyzed in the laboratory to characterize the material. Soil sampling and analysis will be performed in accordance with Site-specific LARWQCB-approved work plans. If the impacted soil is located in a time-critical area, soils may be excavated based on visual staining and/or field screening without performing initial laboratory analyses. Confirmation samples will then be collected from the excavation.
- If constituent concentrations in confirmation soil samples exceed the LARWQCB-approved cleanup criteria, the LARWQCB will be promptly notified.
- The impacted soils will be excavated in accordance with LARWQCB-approved protocols.
- Confirmation samples will be collected from the excavation to verify that the impacts have been removed to LARWQCB-approved levels to maintain the "No Further Action" status.

California Regional Water Quality Control Board - Los Angeles Region 13 December 2004 Page 2

- Once the confirmation soil samples meet the LARWQCB-approved levels, the excavation will be backfilled and compacted in accordance with Site-specific grading and compaction requirements.
- Excavated soil will be stockpiled or placed in bins and managed in accordance with LARWQCB-approved protocols.
- Boeing will submit an addendum shallow soil remediation report to the LARWQCB verifying that the impacted material has been removed.

Approval of this approach to addressing any impacted soil encountered during redevelopment activities is respectfully requested. If you have any questions, please feel free to contact either Mr. Robert Scott at 562.733.2229 or me at 619.993.1791.

Sincerely yours,

HALEY & ALDRICH, INC.

Scott P. Zachary Project Manager

c: Boeing Realty Corporation - R. Scott File-28882

C:\WINNT\Profiles\met\Temporary Internet Files\OLK73\C-6 RWQCB Shallow Soil Impacts Response Plan-12-13-04 Working Copy.doc

